BIOPROLAC WS[™]



A Perfect blend of multi strain beneficial probiotics

Benefits in Poultry & Livestock:

- ✓ Helps in longer laying life
- ✓ Improves egg shell quality
- ✓ Reduces digestive disorders
- \checkmark Improves body weight in broiler & sheep
- ✓ Improves Feed Conversion Ratio (FCR)
- \checkmark Helps to improve milk production & fat percentage

Composition:

Each gram of Bioprolac WS contains

A different species of beneficial microflora 2×10^9 CFU, Lactobacillus casei, Bifidobacterium bifidum, Lactobacillus acidophilus, Lactobacillus bulgaricus, Lactobacillus plantarum, Streptococcus faecium, Streptococcus thermophilus, Yeast : Torulopsis spp and Aspergillus oryzae.

Features:

- ✓ Improves digestion
- ✓ Reduces gut pH
- ✓ Antimicrobial action against certain pathogens
- ✓ Develops immunity by stimulating antibody production
- ✓ Competitive exclusion by competing for adhesion sites and substrains



BIOPROLAC WS[™]



A Perfect blend of multi strain beneficial probiotics

Recommended usage in water for Poultry & Livestock:

Chicks: 1 gram per 4 litres of water or 1 to 2 grams for 100 birds for 5-7 days After antibiotic therapy: 1 gram per 8 litres of water or 1/2 gram to 1 gram for 100 birds for 5-7 days

During stress conditions: 1 gram per 4 litres of water or 1 gram for 100 birds for 3 days Cattle, Sheep & Goat: 2-3 grams in 10 ml water for 10kg body weight

Recommended usage in feed for Poultry:

Broiler: Pre-starter: 150 grams per tonne of feed Starter: 100 grams per tonne of feed Finisher: 50 grams per tonne of feed (Use for a period of 8 to 10 days)

Breeders and Layers:

Use 50 to 100 grams per tonne of feed for a period of 7 days regularly. Repeat at an interval of 3 to 4 weeks.

Presentation: 250 grams &1 Kg

